General Index

2,4-D, 153, 155, 157, 160
  herbicide, 151
  application, 154, 156, 158–9

A

Acartia clausi, 232, 187; *longiremis*, 187; *tonsa*, 184, 187, 232
Acnida cannabina, 75, 76
Actinastrum, 220
Actinocyclus, 220
Aegina spinosissima, 192
Aeginina longicornis, 190, 191, 192, 196; *nodosa*, 193; *spinifera*, 193; *spinosissima*, 192; *typica*, 192
Agardhiella
  Life cycle, 23
Agardhiella tenera, 20, 21, 25, 27, 29
  Life cycle, 23
Agelaius phoeniceus, 235
Aging, stickleback, 117
  scale analysis, 117
Aiptasia pallida, 148
Albuneid, 188
Algae, 39, 50, 190, 197, 210
  Chesapeake Bay, 17–31, 18–21, 19, 24
    seasonal distribution, 17, 25, 26, 27, 28–30, 31
  collecting method, 21, 22
  green, 221
  laboratory culture, 21, 22
  reproductive cycles (North America's East Coast), 28–9, 31
Alkalinity, 219, 224
  Patuxent River, 130–1
Allometric growth, Gerbil, 109–14
Allopatric populations, oysters, 115–6
Alphaeid, 188
Alteutha depressa, 184, 187
Aluminum
  Effects on clams, 146–9
  Effects on oysters, 146–9
American eel, 93, 94, 119, 120; lobster, 204; oyster, 199; sand lance, 93, 94, 95
Amino acid-peptides comparison, oyster stocks, 115–6
Ammodytes americanus, 94
Amphicarpa bracteata, 75
Amphipod, 158, 188
Amphipoda, 190–6
Amygdalum papyria, 34
Anabaena, 220, 221
Analysis of variance, 134–5–6, 143–44, 232
Anchoa mitchilli, 94
Anchovy, Bay, 93, 94
Anderson, Richard R., 68–72
Andrews, J. D., 60–7
Anemone, 148
Anesthetic, fish, 119
Animals, herbicide toxicity, 150–61
Anomalocera ornata, 184, 187; *patersonii*, 184, 187
Anguilla rostrata, 94, 119, 155
Apeltes, 116; *quadracus*, 116, 117
Aquatic plants, South River, Maryland 74, 75, 76
Arrow-arum, 235
Arrowhead, 235
Arrowleaf tearthumb, 236
Ascophyllum nodosum, 40
Aspergillosis, cowbirds, 120–1
Aspergillus, 121; *fumigatus*, 121
Asplanchna, 220
Assateague
  see Horse
  see Pony
Assateague Island
  description, 167
  mammals, 167–71
Assimilation number
  phytoplankton productivity, 135–7
Asterionella, 220, 221
Atlantic bonito, 96, 98, 102, 104, 120; croaker, 93, 94, 95, 96, 98, 100, 105–6, 119; herring, 93, 94, 95; mackerel, 120; menhaden, 93, 94, 95, 120; porpoise, bottle-nosed, 170; silverside, 94
Atriplex patula, 75
Australian oyster, 43
Australorbis glabratus, 14

B

Back River, Maryland
  alkalinity, 219, 224
  dissolved oxygen, 218–9, 223, 224
  free carbon, 219, 223–4
  hydrogen ion, 219
  pigment conc. water column, 221
  pH, 224
  phytoplankton, 220–1
  salinity pattern, 222
  temperature, 217
  zooplankton, 221
Balaenoptera physalus Linnaeus, 170
Balanus balanoides, 39
Bangiaceae, 23
Bangia fuscopurpurea, 20, 23, 25, 26, 27, 28
Bankia setacea, 164
Barnacles, 39
Barnea parva, 162
Barnea (*Pholas*) *candida*, 162
Barnea truncata, 162, 163, 164, 165, 166, 211
Barnes, William D., 17–31
Barrelfish, 120
Bass
  see striped
Bass, sea, black, 96, 98, 99, 106
Bat, 171
Bay anchovy, 93, 94
Benthic sampling, 233
Bioindicator, 159
Bird, ground nesting, 170
Bivalves
  collecting method, 33–34, 36
Bivalves, Tred Avon River, Md.
  seasonal distribution, 34–37
  spawning, 33, 34, 35, 36, 37
Blackberry, 167
Blackbird, red-winged, 235
Black drum, 96, 98, 101, 104–5, 107
Blackfish, 119
Black gum, 167
Black sea bass, 96, 98–9, 106
Blarina brevicauda, 171
Blue crab, 150, 151, 152, 155, 201, 202, 205, 206
  egg, rupture, 203
  egg, water absorption, 202
  hatching, 202–5
Bluefin tuna, 96, 98, 102, 104, 106
Bluefish, 96, 98, 99, 103, 107, 119, 120
  commercial landings, 103
  migration, 104
  spawning, 98, 103
Bluegill, 150
Bonito, Atlantic, 96, 98, 102, 104, 120
Bonner, Rupert R., Jr., 197–8
Boring clam, 162–6
Bos taurus, 171
Bottle-nosed porpoise, Atlantic, 170
Bottom drag, 233–4
Bottom sampler, estuary, 233
Bouin's Fixative, 53
Brachidontes recurvus, 33, 34, 36
Brachionus, 220, 221
Brachyura, 202
Brachyurans, 188
Brevoortia tyrannus, 94, 120, 156
"Brown cells," oyster, 6, 7, 9, 14
Brown, Russell G., 68–72, 73–81
Bryopsidaceae, 22
Bryopsis, 19
  life cycle, 22
Bryopsis hypnoides, 25, 26, 27, 28
  life cycle, 22
Bryopsis plumosa, 20, 21, 25, 26, 27, 28, 30
  life cycle, 22
Bryozoa, 17
Bryozoans, 190, 193, 194
Bucephalopsis, 4
Bucephalus, 3, 4, 5, 6, 9, 12, 13, 14; *cuculus*, 3, 4, 5, 8, 11, 12, 15; *haimeanus*, 3, 4; *polymorphus*, 3, 4
Bucket dredge, 233
Bulrushes, 167
Bulrush, river, 235, 236; softstem, 236
Burton, Richard W., 3–5
Butterfish, 94–5, 120
  larvae, 93

C

C^{14}, 126
Cakile edentula, 75, 76
Calanus finmarchicus, 184, 186, 187; *helgolandicus*, 187
Caligus spp., 184, 187
Caligus chelifera, 184, 187; *schistonyx*, 184, 187
Callianassa sp., 188
Callinectes, 201, 203, 204, 205, 206, 207; *sapidus*, 150, 151, 201, 202, 203, 204, 205
Callithamnion, 19, 21, 24; *byssoides*, 20, 21, 25, 27, 29
  life cycle, 24
Campylodiscus, 220
Candacia armata, 184, 187; *pachydactyla*, 184, 187
Canthocampus, 220
Capra hircus, 171
Caprella acutifrons, 194, 196; *aequilibra*, 193; *carolinensis*, 194, 196; *equilibra*, 190, 191, 193, 194, 195, 196; *geometrica*, 190, 191, 194, 195, 196; *mendax*, 193; *penantis*, 194; *virginia*, 194, 196
Caprellid Key, 190–1
Caprellidae, 190–6
Carbon accumulation, C^{14}
  uptake rate, 126–7, 132–3
Carbon, free, 219, 223–4
Carbon, inorganic, Patuxent River, 130–1
Carcinonemertes carcinophila, 201, 205, 206, 207
Cardinal, 120
Cardium rusticum, 3; *tuberculatum*, 3
Carex, 80; *lurida*, 75, 76
Carinonemertes, 201, 203, 205, 207
Carnoy's Fixative, 5
Carotenoids, 217, 221, 223
Cat, 112
Catfish, channel, 120; white, 226, 227, 228
Centrifuge, plankton, 216
Centropages furcatus, 184, 186, 187; *hamatus*, 184, 185; *typicus*, 184, 185
Centropristes striatus, 96
Cephalothrix, 207; *rufifrons*, 207
Ceramiaceae, 24
Ceramiales, 17, 27, 30, 31
  life cycle, 23
Ceramium
  life cycle, 24
Ceramium diaphanum, 20, 21, 25, 26, 27, 29
  life cycle, 24
Ceramium fastigiatum, 25, 26, 27, 29
  life cycle, 24
Ceramium rubrum, 17, 20, 21, 25, 27, 29, 30, 31
  life cycle, 24
Ceramium strictum, 20, 21, 25, 26, 27, 29
  life cycle, 24
Cercaria milfordensis, 13
Cervus nippon, 170
Cestode, 4
Chaetoceros, 220
Chamaecyparis thyoides, 75
Champia
  life cycle, 23
Champiaceae, 23
Champia parvula, 25, 26, 27, 29
  life cycle, 23
Chanley, Paul E., 162–6, 209–13
Channel catfish, 120
Cheng, Thomas C., 3–15
Chenopodium album, 75
Chesapeake Bay, storm surges, 172–82
  definition, 172
Chlorella, 50, 220, 221
Chlorinity determination, 87
Chlorophyceae, 22, 44
Chlorophyll "a", 131–3, 135–7, 221
  estimate, 129
Chlorophyll a, b, 221
Chlorophyll a, b, c, 217, 221, 222
Chlorophyta, 17, 21, 22, 25, 27, 30, 220
Chromatography, oysters, 115–6
Chromatography, thin layer, 115–6
Chromogaster, 220
Chrysophyta, 220
Chub mackerel, 120
Cinna arundinacea, 235, 236
Cirripedia, 17
Cladocera, 220, 221
Cladocerans, 188
Cladophora, 19, 22
Cladophora flexuosa, 25, 26, 27, 28
  life cycle, 22
Cladophora gracilis, 21, 25, 26, 27, 28
  life cycle, 22
Cladophoraceae, 22
Cladophorales, 22
clam
  aluminum, effects on, 146–9
  boring, larval development, 162–6
  culture, 162
    food, 210
  egg count, 163
  fixative, 53
  hard shell, 151
  hydraulic dredge, 158, 159
  larval development, 209–13
  soft-shell, 52–9, 146, 151, 152
  spawning temperature, 210
Clam, mactrid, 209, 210, 211, 212, 213
Clam, rhodamine B retention, 122
Clam, soft shelled, 52–59
  collection method, 53
  habitat, 52, 53
  reproductive cycle, 53–58
    male, 53–56
    female, 56–58
  salinity, 53
  spawning pattern, 52
    New England vs. Maryland, 53, 54, 58
  water temperature, 53, 54, 56, 57
Clams, 156, 157, 158, 159, 160
Clarke-Bumpus sampler, 183, 187, 231–3
  deflector (jellyfish-ctenophores), 231–3
Clupea harengus harengus, 94
Cobia, 96, 98–9, 105
Cockle, 3
Coelenterates, 188, 189
Colurella, 220
Conchocelis, 23, 30
Condylura cristata, 171
Congeria leucophaeta, 34
Conochilus, 220
Continental shelf—Mid-Atlantic
  copepods, 183–9
  zooplankton, 187–9
Convolvulus sepium, 75
Cooke, Peter Hayman, 229–30
Copepod, 4, 221, 231, 232
  larvae, 220
Copepoda, 220
Copepodids, 232
Copepods
  continental shelf, mid-Atlantic, 183–9
Cordgrass, 167, 169, 235
Coring tube, shallow water, 234
Corycaeus spp., 184, 187
Coryphaena hippurus, 96
Coscinodiscus, 220
Cottontail rabbit, 169, 170
Cowbirds, 120–1
Cow, domestic, 171
Crab, blue, see blue crab
Crab, fiddler
  herbicide effects on, 151
Crabs, 152, 153, 154, 155, 156, 157, 158
Crangonid, 188
Crangon septemspinosa, 188
Crassostrea virginica, 3, 4, 5, 6, 11, 12, 13, 14, 36, 37, 43, 44, 50, 115, 146, 150, 151, 199
Crepidostomum cornutum, 13, 14
Croaker, Atlantic, 93, 94, 95, 96, 98, 100, 105, 106, 119
Croker, Robert A., 92–5
Crustaceans, 188
Cryptotis parva, 169
Ctenophores, 188, 189, 231, 232
Cumacean, 188
Cunner, 120
Current meter, Atlas, 87
Cutgrass, rice, 235, 236
Cyanophyta, 220
Cyclaspis polita, 188; *varians*, 188
Cyclops, 220
Cymothoids, 188
Cyperus, 80; *filiculnis*, 75; *ovularis*, 75
Cyprina islandica, 53

D

Daphnia, 220
Dasya
  life cycle, 24
Dasyaceae, 24
Dasya pedicellata, 25, 27, 29, 30
  life cycle, 24
Davidson's Fixative, 5
Davis, Charles C., 201–8
Deer
  sika, 170, 171
  white-tailed, 171
Delesseriaceae, 24
Delphinus delphis, 170
Dermocystidium marinum, 4, 14, 60–7

Dermocystidium, oyster, 61–7
Deutella abracadabra, 190, 192, 193, 196
Diaphanosoma, 220
Diaptomus, 220
Dicranophorus, 220
Didelphis marsupialis, 168
Diel variation, fish, 93–5
Difflugia, 220
Dimensions
periwinkle, 38, 39
Dinophyceae, 44
Diospyros virginiana, 75
Diurnal abundance, mysid, 88
Dog, 112
Dolphin, 96, 98, 100, 104
common, 170
Domestic rice, 236
Dorippid, 188
Dotted smartweed, 235, 236
Drag, bottom, 233–4
Dredge
bucket, 233
hydraulic, clam, 158–9
Drum
black, 96, 98, 101, 104, 105, 107
red, 96, 98, 101, 105
Ducks, wild, 121
Dunaliella euchlora, 160

E

Eastern
Gray squirrel, 171
mole, 171
see: oyster
Echinochloa walteri, 235, 236
Eel, 95, 119, 155
American, 93, 94, 119, 120
Egg complement, stickleback, 117–8
Eggs and larvae, fish
sampling, 92
Eisler, Ronald, 119–20
Elodea, 79, 81
Elodea canadensis, 68, 73, 74, 75
fertilizer value, 71
Elodea Nuttallii, 73, 75, 76, 79
Elymus virginicus, 75
Emerita talpoida, 188
Enchelyopus cimbrius, 94
Enteromorpha, 19, 22, 197; *intestinalis*, 22, 25, 26, 27, 28; *linza*, 22, 25, 26, 27, 28; *minima*, 25, 27, 28
life cycle, 22
Ephiphanes, 220
Ephippia, 220
Equus caballus, 171
Erythrocyte counts, fish, 119–20
Escherichia coli, 214
Estuarine bottom sampler, 233
Estuary, primary productivity, 125–40
Estuary, temperature pattern, 221
Eucalanus pileatus-subcrassus, 184, 186
Euchaeta marina, 184, 187
Euglena, 220
Euphausiids, 188
Eurasian water milfoil, 150
Eurytemora hirundoides, 232
Euthynnus alletteratus, 96; *pelamis*, 96
Evadne nordmanni, 188; *spinifera*, 188
Extinction coefficient, light, 136, 138

F

Fertilizer, plants as, 68–72
Fiddler crab, 151
Filina, 220
Fin-backed whale, 170
Fish
age and growth, 117–8, 226–8
anesthetic, 119
availability, Va. Coast, 96–108
commercial landings, East Coast, 103
diel variation, 93–5
egg complement, stickleback, 117–8
erythrocyte counts, 119–20
fishery statistics, 97–106
gonadal biopsy, 142–3
gonadal necropsy, 141–2
hemoglobin content, 119–20
holding pond, 197
larvae, 93
length-weight relationship, 226–8
migration, 98, 104, 106
mortality, 197–8
planktonic, Sandy Hook Estuary, N.J., 92–5
sampling, eggs and larvae, 92
scale analysis, 117
scale pattern, 229–30
sex determination, live, 141–45
tagging, 197
tag streamer, 197
Fixative, clam, soft-shelled
Bouin, 53
Zenker, 53
Fixative, oyster
Carnoy, 5
Davidson, 5
Ethanol, 5
Harris hematoxylin and eosin, 5, 6, 8
Mallory, 5, 6, 8, 10, 11
Zenker, 5
Florideophyceae, 17, 30
Flounder, 119
southern, 96, 98, 102, 106–7
winter, 93, 94, 95, 119
Fochrenbach, Jack, 122
Fourbeard rockling, 93, 94, 95
Fourspine stickleback, 116
Fox, red, 170
Fucus spiralis, 39
Fundulus spp., 155; *heteroclitus*, 94, 229; *majalis*, 229, 230; *similis*, 160
Fungus, 4, 14

G

Galatheid, 188
Gasterosteidae, 116
Gastropods, 12, 13, 14, 38
Gastrosaccus, 89, 188; *dissimilis*, 86, 88, 89
Gelidiaceae, 23
Gelidiales, 23
Gelidium
life cycle, 23
Gelidium crinale, 20, 25, 26, 27, 29, 30
life cycle, 23
Genys, John B., 82–5
Gerbil
organ-body weight, 109–14
Mongolian, 109–14
Gigartinales, 23
Gilchrist, Richard D., 109–13
Globicephala melaena, 170
Glypthelmins pennsylvaniensis, 12
Goat, domestic
Gobiosma sp., 94
Goby, 93, 94
Gonadal biopsy, fish, 142–3
Gonadal necropsy, fish, 141–2
Goosefish, 120
Gorgodera amplicana, 13
Gracilaria
life cycle, 23
Gracilariaceae, 23
Gracilaria foliifera, 20, 21, 25, 26, 27, 29, 30
life cycle, 23
Gracilaria verrucosa, 20, 21, 25, 26, 27, 29
life cycle, 23
Grackles, 120–1
Gramineae, 236
Grass
cord, 167, 169, 235
widgeon, 167
Grasshopper, 236
Gray
sea trout, 105, 106
squirrel, Eastern, 171
Green algae, 221
Grinnellia
life cycle, 24
Grinnellia americana, 17, 20, 21, 25, 27, 29, 30
life cycle, 24
Growth potential, Canada spruce, 82–85
Gryphaea angulata, 43; *commercialis*, 43
Gull, 121
herring, 121
Gum
black, 167
sweet, 167

H

Hake, silver, 120
Halderleaf tearthumb, 235, 236
Hamster, 109, 112
Handley, Charles O., Jr., 167–71
Hanks, Robert W., 146–9
Harbor seal, 170
Hard shelled clams, 151
Harringia, 220
Harris' hematoxylin and eosin, fixative, oyster, 5, 6, 8
Hatching
aquatic invertebrates, 201–8
blue crab, 202–5
emerging methods, 201
nemertean, 205–8
Haven, Dexter S., 43–51
Heinle, Donald R., 231–3
Helisoma trivolvis, 12
Hemiaegina minuta, 190, 191, 192, 196

Hemoglobin content, fish, 119–20
Herbicide
  2,4-D application, 152
  fiddler crab, effects on, 151
  oysters, effects on, 151
  toxicity, estuarine animals, 150–61
Herring
  Atlantic, 93, 94, 95
  gull, 121
Hexamita, 4
Hexarthra, 220
Hillman, Robert E., 115–6
Hippid, 188
Hippocampus erectus, 94
Hippolytid, 188
Holding pond, fish, 197
Holly, 167
Homarus, 204; *americanus*, 188, 204
Hopkins, Thomas L., 86–91
Horse, Assateague, 171
  domestic, 171
House
  mouse, 169
  sparrow, 121
Hump-backed whale, 170
Hydraulic clam dredge, 158, 159
Hydrogen ion, 219
Hydroids, 190, 193, 194
Hydrozoa, 17

I

Ictaluridae, 226
Ictalurus catus, 226; *punctatus*, 120
Idoteids, 188
Ilex sp., 75
Indian River Inlet, Delaware, topography, 86–7
Inorganic carbon, Patuxent River, 130–1
Invertebrate, hatching, 201–8
Isopods, 188
Iva frutescens, 75, 76
Ivy, poison, 167, 169

J

Jachowski, R., 226
Jellyfish, 231, 232

K

Keratella, 220, 221
Killifish, 155
  longnose, 160
  scale pattern, 229–30
  striped, 229–30
Kingfish, 96, 98
  northern, 96
  southern, 96
Kosteletzkya virginica, 75, 76

L

Labidocera acutifrons, 184, 187; *aestiva*, 184, 186
Lactua Scariola, 75
Lambs, 170
Larcus argentatus, 121
Least shrew, 169
Leersia oryzoides, 235, 236
Leiostomus xanthurus, 96
Lepadella, 220
Lepidopa sp., 188
Lepomis gibbosus, 152
Leptochela sp., 188
Leptocuma minor, 188
Leucon nasica, 188
Leucosiid, 188
Light
  extinction coefficient, 136, 138
  transmission, water, 129, 131
Limnocalanus, 220
Little tuna, 96, 98, 101
Littorina littorea, 38, 39, 40, 41; *neritoides*, 13
Loblolly pine, 167
Lobster, American, 204
Locke, Louis N., 120–1
Long line, tuna fishing, 104
Longnose killifish, 160
Lonicera japonica, 75
Lophius americanus, 120
Lucifer sp., 188
Lutra canadensis, 170
Lutraria lutraria, 210
Lyonsia hyalina, 212
Lythrum lineare, 75

M

McCain, John C., Sr., 190
Mackerel, 119
  Atlantic, 120
  chub, 120
Macoma balthica, 33, 34, 35, 36, 37, 158; *phenax*, 33, 34, 36, 158
Mactra corallina, 209, 210, 212; *sachalinensis*, 210; *sulcatoria*, 210, 212; *veneriformis*, 210
Mactridae, 209, 210
Madtoms, 226
Marine shrimp, 204
Marlin, white, 96, 98, 102, 104
Marsh
  description, 235
Meadow
  jumping mouse, 169
  vole, 169
Meanley, Brooke, 235–7
Megaptera novaeangliae, 170
Melilotus alba, 75
Menhaden, 156
  Atlantic, 93, 94, 95, 120
Menidia menidia, 94
Menticirrhus americanus, 96; *saxatilis*, 96
Mercenaria mercenaria, 37, 122, 124, 151
Meriones unguiculatus, 109, 110, 111, 112
Merluccius bilinearis, 120
Metabolic differences, oyster stocks, 116
Metamysidopsis, 89; *munda*, 86, 88, 89
Metridia lucens, 184, 186, 187
Microcodides, 220
Micropogon undulatus, 94, 96, 119
Microtus pennsylvanicus, 169
Middle River, Md.
  alkalinity, 219, 224
  dissolved oxygen, 218–9, 223–4
  free carbon, 219, 223–4
  hydrogen ion, 219
  pigment conc., 221
  pH, 224
  phytoplankton, 220–1
  salinity pattern, 222
  temperature, 217
  zooplankton, 221
Milfoil
  as fertilizer 68, 70, 71
  chemical composition, 68–72
  collecting, 69
  environmental conditions, 69, 70–2
  salinity, 68–9, 71
  water temperature, 68, 71
Millet, 235
Mole
  Eastern, 171
  star-nosed, 171
Molluscs, 158
Mollusks
  Oysters, zooparasites survey, 3–15
Molothrus ater, 120
Mongolian gerbil, 109–14
Morphometric
  gerbil, 109–14
  oyster, Eastern, 7–9, 14
  periwinkle, 38–9
Mortality, striped bass, 197–8
Mouse
  house, 169
  meadow jumping, 169
  white-footed, 169
  wood, long-tailed, 109
MSX
  see: oyster, Eastern
Mugil curema, 160
Mulinia lateralis, 33, 34, 36, 210, 212
Mullet, white, 160
Mummichog, 93, 94, 229, 230
Musculium partumeium, 13
Muskrat, 169, 235
Mus musculus, 169
Mya, 35, 36
Mya arenaria, 33, 34, 36, 37, 52, 58, 146, 150, 151
Myoxocephalus, 94
Myrica pensylvanica, 75
Myriophyllum, 81; *exalbescens*, 69; *pinnatum* (fertilizer value, 71); *spicatum*, 68–71, 73, 75–6, 150, (brackish and freshwater fertilizer value, 71); *verticillatum* (fertilizer value, 71)
Myrtle, 167, 169
Mysidopsis, 89
Mysidopsis bigelow, 86, 88–9, 90, 188
Mysids, 188
Mysid shrimp, Indian River, Del., 86–91
  as fish food, 86–91
  as food converters, 86
  diurnal abundance, 88
  reproduction periods, 89–91
  sampling, 87
  seasonal abundance, 88–9
Mytilicola orientalis, 4
Mytilina, 220
Mytilus edulis, 13
Myxophyceae, 44

N

Najas flexilis
  fertilizer value, 71
Nannocalanus minor, 184, 187
Nauplii, 232
Naushonia sp., 188
Nemertean, 201, 205–8
Neomysis, 86, 88–91; *americana*, 86–91,
  vulgaris, 89, 90
Nephropsid, 188
Nereis succinea, 148
Nesting, bird, 170
Nitzschia, 220–21
Northern
  kingfish, 96
  pilot whale, 170
  pipefish, 93–4
  puffer, 94, 107, 119–20
  searobin, 119–20
Norway
  rat, 169
  spruce, 82
Notholca, 220
Notommata, 220

O

Oak, white, 167
Odocoileus virginianus, 171
Oithona spp., 184, 186
Olva lactuca, 27
Ondatra (*zibethica*) *zibethicus*, 169, 235
Opossum, 168–9
Opsanus tau, 119
Optical density, water column, 127
Organ-body weight relationship
  gerbil, 109–14
Orthoptera, 236
Oryza sativa, 236
Oryzomys palustris, 169
Ostracoda, 221
Ostrea edulis, 3–4, 43, 50; *lutaria*, 13
Otter, 170
Oxygen
  determination, 216
  dissolved, 218–9, 223–4
Oxyurostylis smithi, 188
Oyster, 151–60
  allopatric populations, 115–6
  aluminum, effects on, 146–9
  American, 199
  amino acid-peptides comparison, 115–6
  Australian, 43
  chromatography, 115–6
  European, 3
  herbicide effects on, 151
  metabolic difference, 116
  morphometrics, 7–9, 14
  toadfish, 119
Oyster, Eastern, 115, 146
  allopatric populations, 115–6
  amino acid-peptile comparison, 115–6
  "brown cells," 6, 7, 9, 14
  chromatography, 115–6
  Dermocystidium-infected, 61–7
  feeding, 47
    lab. culture, 44, 45, 51
    natural environment, 45–51
  "oyster filter," 47, 48
  salinity 45–8
  fixative, 5, 6, 8, 10, 11
  host's cellular responses, 14
  infected locations, 3, 4, 6, 8, 12
  infection process, 9, 11
  laboratory culture, 5
    infected areas, 5–8
  "MSX"-infected, 14, 60, 62–7
  metabolic disruption, 7–8
  morphology, 3, 6–9, 14
  mortality, 13, 60
    "MSX"-*Dermocystidium* comparison, 60–7
  ova dimensions, 7–9, 13
  parasites, 3–16
  physiological, 13
  salinity, 4–5
  staining, 5, 44–6
  sterilization, 14
  water temperature, 45–48
    natural environment, 5
  weight variation, 43

P

Pagurids, 188
Palaemonetes, 204
Palaemonid, 188
Palinurichthys perciformis, 120
Pandalid, 188
Panicum virgatum, 75, 76
Paracaprella, 193; alata, 193; crassa, 193; *pusilla*, 193; *simplex*, 192, 193, 196; *tenuis*, 190–6
Paradiso, John L., 167–71
Paralichthys sp., 119; *dentatus*, 96
Parapholas quadrizonata, 162, 165
Parasites, see: oyster (Eastern)
Pasiphaeid, 188
Passer domesticus, 120, 121
Patuxent River, Md.
  alkalinity, 130–1
  carbon, inorganic, 130–1
  description, 126
  temperature, 130
  turbidity, 130
Pediastrum, 220, 221
Pelecypod, 212
Peltandra, 80; *virginica*, 73, 75, 235
Penaeus spp., 160
Penilia avirostris, 188
Perch, white, 119, 154–5
  yellow, 154–5
Peridinium, 220
Peringia ulvae, 13
Periwinkle
  distribution, 38, 39, 40, 41
  egg distribution, 39
  habitat, 39, 40
  norphometrics, 38–9
  origin, 38
  salinity, 41
  water temperature, 38, 40–1
Peromyscus leucopus, 169
Petalonia, 22; *fascia*, 17, 23, 25–8, 30
Petricola pholadiformis, 212
Pfitzenmeyer, H. T., 52–9
pH, 224
  pH determination
    Beckman, 129
    Patuxent River, Md., 130
    Zeromatic, 129
Phaeophyceae, 22
Phaeophyta, 17, 21–2, 25, 27, 30–1
Philipp, Charles C., 73–81
Phoca vitulina, 170
Pholadidea loscombiana, 162
Photogrammetry, 146
Photometer, 127
Photosynthesis rate
  phytoplankton, 132–4
Phragmites communis, 74, 75
Physeter catodon, 169
Phytocides, milfoil control, 151
Phytoplankton, 220–1
  assimilation number, 135–7
  photosynthetic rate, 132–4
  productivity estimate, 136
Picea, 82; *abies*, 82; *engelmanni*, 82; *glauca*, 82; *glauca* var. *albertiana*, 82; *glauca* var. *densata*, 82; *glauca* var. *glauca*, 82, 84; *glauca* var. *porsildii*, 82; *rubens*, 82
Pickerelweed, 236
Pilot whale, Northern, 170
Pine, loblolly, 167
Pinnixa?, 188
Pinnotheres sp., 188
Pinnotherids, 188
Pinus Taeda, 75
Pipefish, Northern, 93, 94
Pitar morrhuana, 212
Plankton centrifuge, 216
Plankton productivity
  Back River, 214–25
  Middle River, 214–25
Plankton samplers, 183, 187
  Clarke-Bumpus, 183, 187
  Gulf III, 183, 187
  meter nets, 183, 187
Plankton tows, 87
  fish, 92
Plants, aquatic, South River, Md., 74–6
Plants, estuarine
  ecology of, 73–81
  transition-zone, 73–81
Platyias, 220
Platymonas sp., 160
Ploesoma, 220
Pluchea purpurascens, 75, 78, 81
Pogonias cromis, 96
Poison ivy, 167, 169
Pollachius virens, 94
Pollock, 93, 94, 95
Polyarthra, 220
Polychaete, 148
Polycystis, 220, 221
Polygonum, 235; *arifolium*, 75, 76, 235, 236; *punctatum*, 235, 236; *robustius*, 75, 76; *sagittatum*, 235, 236
Polysephonia, 197
Polysiphonia, 21
  life cycle, 24
Polysiphonia denudata, 20–1, 25–7, 29
  life cycle, 24
Polysiphonia harveyi, 17, 20–1, 25, 27, 29–31
  life cycle, 24

Polysiphonia nigrescens, 17, 20–1, 25, 27, 29–30
life cycle, 24
Pomatomus saltatrix, 96, 119
Pontederia, 80; *cordata*, 236; *lanceolata*, 73–5
Pontella meadii, 184, 187
Pony
Assateague, 171
wild, 171
Porcellanid, 188
Pore, N. Arthur, 172–82
Poronotus triacanthus, 94, 120
Porphyra, 19, 26
life cycle, 23
Porphyra leucosticta, 17, 25–8, 30
life cycle, 23
Porphyra umbilicalis, 17, 20, 25, 27–8
life cycle, 23
Porpoise
Atlantic bottle-nosed, 170
spotted, 169, 170
Portunidae, 202
Portunus puber, 205
Porzana carolina, 235
Potamogeton sp., 79, 81
fertilizer value, 71
Potamogeton perfoliatus, 73, 75–6, 79
Potimirim, 204; *glabra*, 204
Primary productivity, estuary, 125–40
Prionotus sp., 94; *carolinus*, 119
Proales, 220
Procyon lotor, 170
Productivity estimate, phytoplankton, 136
Prostoma graecense, 207
Protozoa, 220, 221
Pseudocalanus minutus, 184–5
Pseudopleuronectes americanus, 94, 119
Puffer, 119
Northern, 94, 107, 119, 120
Pumpkinseed, 152, 154, 155
Punctaria, 19
life cycle, 22
Punctariaceae, 22
Punctaria plantaginea, 17, 20–2, 25–8, 30
Pygosteus, 116
Pyrrophyta, 220

Q

Quahog, 37
Rhodamine B retention, 122
Querous palustris, 76; *phellos*, 75–6
Quiscalus quiscula, 120

R

Rabbit, cottontail, 169–70
Raccoon, 170
Rachycentron canadum, 96
Rainbow trout, 150
Rangia cuneata, 209–12
Rappleye, Robert D., 68–72
Rat, 109, 113
Norway, 169
rice, 169
Rattulus, 220
Rattus norvegicus, 169
Rawls, Charles K., 150–61
Reading, Anthony J., 214–25
Red
drum, 96, 98, 101, 105
fox, 170
spruce, 82
-winged blackbird, 235
Rhincalanus nasutus, 184, 186
Rhodamine B, quahog retention, 122
Rhodomelaceae, 24
Rhodophyceae, 23
Rhodophyta, 17, 21, 23, 25, 27, 30–1
Rhodymeniales, 23
Rhus radicans, 75
Rice
cutgrass, 235, 236
domestic, 236
rat, 169
wild, 235, 236
Richards, C. E., 96–107
Richmondena cardinalis, 120
Ritchie, Douglas E., 141–5
River bulrush, 235, 236
River marsh, description, 235
Robinia Pseudo-Acacia, 75
Roccus americanus, 119; *saxatilis*, 119, 141, 197
Rockling, fourbeard, 93, 94, 95
Rosa palustris, 75
Rose, 167
Rotifer, 220–1
Rotifera, 220
Ruppia, 76; *maritima*, 75–6, 117

S

Sagittaria, 73; 80; *falcata*, 74–5; *latifolia*, 74–5, 235
Salinity
Chesapeake Bay, 96
clam, soft-shelled, 53
determination, 92, 216
fungus association, 60, 65
milfoil, 68, 69, 71
osyter, 4, 5
feeding, 45, 46, 47, 48
Patuxent River, Md., 129
periwinkle, 41
Sampler
Clarke-Bumpus, 183, 187, 231–3
Sampling
algae, 21–22
benthic, 233
bivalves, 233–4, 236
Clarke-Bumpus, 183, 187, 231–3
fish eggs and larvae, 92
mysid, 87
plankton, 183, 187
water, 127
Sand lance, American, 93–5
Sarda sarda, 96, 120
Scale analysis, fish, 117
Scale pattern, striped killifish, 229–30
Scalopus aquaticus, 171
Scendesmus, 220–1
Schistosoma mansoni, 14
Schwartz, F. J., 116–8; 226–8
Scianops ocellata, 96
Scirpus, 80; *americanus*, 75, 236; *fluviatilis*, 235–6; *olneyi*, 75; *robustus*, 75; *validus*, 75, 236
Sciurus carolinensis, 171
Scolecithrix danae, 184, 187
Scomber colias, 120; *scombrus*, 120
Scomberomorus cavella, 119; *maculatus*, 119
Scophthalmus aquosus, 94, 120
SCUBA, 62, 233
Sculpin, 94
Scup, 96, 119, 120
Scytosiphon comentaria, 23, 28; *lomentaria*, 17, 20–1, 23, 25, 26–7, 30
Sea bass, black, 96, 98–9, 106
Seahorse, spotted, 94
Seal, harbor, 170
Searobin, 93–5, 119
Northern, 119, 120
Sea trout, gray, 105–6
Sergestid, 188
Sex determination, live fish, 141–5
Shallow water coring, 234
Shaw, William N., 33–7
Short-tailed shrew, 171
Shrew
least, 169
short-tailed, 171
Shrimp, 160
freshwater, 204
marine, 204
see: Mysid
Sika deer, 170–1
Silver hake, 120
Silverside, Atlantic, 94
Siphonales, 22
Skipjack tuna, 96
Smartweed, dotted, 235–6
Smilax, 167, 169
Soft-shell clam, see: Clam
Softstem bulrush, 236
Solidago sempervirens, 75
Solieriaceae, 23
Sora
feeding, 225–7
habitat, 225–7
South River, Md.
aquatic plants, 74, 75, 76
Southern flounder, 96, 98, 102, 106–7
Southern kingfish, 96
Southwick, Charles H., 214–25
Sparrow, house, 121
Spartina alterniflora, 73, 75–6, 78; *cynosuroides*, 235; *patens*, 75
Sperm whale, 169
Sphaerium striatinum, 13–4
Sphaeroides maculatus, 94, 107, 119
Spinachia, 116
Spirogyra, 220
Spisula elliptica, 210
Spisula solidissima, 210, 212; *subtruncata*, 210
Sponges, 190, 193–4
Spotted
porpoise, 169, 170
seahorse, 94
Spruce
Canada, 82–5
native, Md., 82
Norway, 82
red, 82
seedling planting, 83
white, 82, 83, 84
Squirrel, Eastern gray, 171

Staining
clam, soft-shelled, 53
oyster, Eastern, 5, 44–6
Star-nosed mole, 171
Staurastrum, 220
Stenella sp., 169; *frontalis*, 170; *plagiodon*, 170
Stenotomus chrysops (*crysops*), 96, 119
Stickleback, 116
age and growth, 117–8
aging, scale analysis, 117
egg complement, 117–8
fourspine, 116
three-spined, 117
Stomatopods, 188
Storm surges, Chesapeake Bay, 172–182
Stottlemyer, John R., 125–39
Striped bass, 119, 154
gonadal biopsy, 142–3
gonadal necropsy, 141–2
holding pond, 197
mortality, 197–8
sex determination, live, 141–5
tagging, 197
tag loss, 197–8
Striped killifish, 229–30
Stross, Raymond G., 125–39
Sumac, 167
Swan, 121
Sweet gum, 167
Sylvilagus floridanus, 169
Synchaeta, 220
Synedra, 220–1
Syngnathus fuscus, 94

T

Tag, fish, streamer, 197
Tagging, fish, 197
Tag loss, striped bass, 197–8
Tan, Eng-Chow, 183–9
Tautog, 93–4, 119
Tautoga onitis, 94, 119
Tautogolabrus adspersus, 120
Taylor, John L., 233–4
Tearthumb, arrowleaf
arrowleaf, 236
halberleaf, 235–6
Tremora lonicornis, 184, 186–7; *stylifera*, 184, 187; *turbinata*, 184–5, 187
Temperature
determination, 216
estuarine pattern, 221
Patuxent River, 130
Teredo navalis, 164
Testudinella, 220
Tetrapturus albida, 96
Tetrasporophyte, 27
Thalassinids, 188
Three-spined stickelback, 117
Threesquare, common, 236
Thunnus albacares, 96; *thynnus*, 96
Tissue stain, Mallory's, 5, 6, 8, 10, 11
Toadfish, 109, 119, 120
oyster, 119
Tortanus discaudatus, 184, 186
Toxicity, animals, herbicide, 150–61
Trachypenaeus constrictus, 205
Trematode, 3–15
Trichocerca, 220
Tripsacum dactyloides, 75–6
Trout
rainbow, 150
sea, gray, 105–6
Tuna
bluefin, 96, 98, 102, 104, 106
fishing, long line, 104
little, 96, 98, 101
skipjack, 96
Tunicates, 188–89
Turbidity, Patuxent River, 130
Tursiops, 170; *truncatus*, 170
Tylocephalum, 4
Typha, 80; *angustifolia*, 73–5, 81

U

Uca pugnax, 151
Ulotrichales, 22
Ulva
as oyster food, 43
life cycle, 22
Ulvaceae, 22
Ulva lactuca, 25–6, 28
life cycle, 22
Undinula vulgaris, 184, 187
Upogebia sp., 188

V

Vallisneria spiralis L., 68, 71
as fertilizer value, 71
Van Engel, W. A., 183–9
Venus mercenaria, 53
Vitis labrusca, 75
Vole, meadow, 169
Vreeland, Valarie, 214–25
Vulpes vulpes, 170

W

Ward, Ronald W., 214–25
Water column, optical density, 127
Water milfoil
herbicide control, 150–61
Water milfoil, Eurasian, 150
herbicide application, 152
Water samplers
Meyer Bottle, 127
Van Dorn, 127
Weakfish, 96, 98, 100, 105
Weight, organ-body ratio
gerbil, 109–14
as pathogen detector, 109
Wells, Harry W., 38–41
Whale
fin-backed, 170
hump-backed, 170
Northern pilot, 170
sperm, 169
White
catfish, Patuxent River, Md.
age and growth, 226–8
length-weight relation, 226–8
-footed mouse, 169
marlin, 96, 98, 102, 104
mullet, 160
oak, 167
perch, 119, 154–5
spruce, 82–4
-tailed deer, 171
Whitney submarine photometer, 127
Widgeon grass, 167
Wilber, Charles G., 109–13
Wild rice, 235–6
Windowpane, 94, 120
Winter flounder, 93–5, 119
Wood
mouse, long-tailed, 109
reed, 235–6
Worms, 158

X

Xanthium strumarium, 75
Xiphosura, 17

Y

Yellow perch, 154–5
York River
oyster feeding (starch), 43–51

Z

Zaneveld, Jacques S., 17–31
Zapus hudsonius, 169
Zenker's fixative, 5, 53
Zirfea crispata, 162, 165
Zizania aquatica, 75, 235–6
Zooplankton
Back River, Md., 221
Mid-Atlantic continental shelf, 187–9
Zostera marina, 19, 117

CHESAPEAKE SCIENCE

A REGIONAL JOURNAL OF RESEARCH AND PROGRESS ON NATURAL RESOURCES

Volume VI, 1965

TED S. Y. KOO
Managing Editor

Published By
Natural Resources Institute of the
University of Maryland
Chesapeake Biological Laboratory
Solomons, Maryland
L. E. Cronin, Director

Table of Contents

NUMBER 1, MARCH, 1965

Obituary: George Francis Beaven (1903–1964). By L. Eugene Cronin ... 1

CHENG, THOMAS C. AND RICHARD W. BURTON. Relationships between *Bucephalus* sp. and *Crassostrea virginica:* Histopathology and sites of infection ... 3

ZANEVELD, JACQUES S. AND WILLIAM D. BARNES. Reproductive periodicities of some benthic algae in Lower Chesapeake Bay ... 17

SHAW, WILLIAM N. Seasonal setting patterns of five species of bivalves in Tred Avon River, Maryland ... 33

WELLS, HARRY W. Maryland records of the gastropod, *Littorina littorea,* with a discussion of factors controlling its southern distribution ... 38

HAVEN, DEXTER S. Supplemental feeding of oysters with starch ... 43

PFITZENMEYER, H. T. Annual cycle of gametogenesis of the soft-shelled clam, *Mya arenaria,* at Solomons, Maryland ... 52

ANDREWS, J. D. Infection experiment in nature with *Dermocystidium marinum* in Chesapeake Bay ... 60

ANDERSON, RICHARD R., RUSSELL G. BROWN, AND ROBERT D. RAPPLEYE. Mineral composition of Eurasian water milfoil, *Myriophyllum spicatum* L. ... 68

NUMBER 2, JUNE 1965

PHILIPP, CHARLES C. AND RUSSELL G. BROWN. Ecological studies of transition-zone vascular plants in South River, Maryland ... 73

GENYS, JOHN B. Growth potentials of fifteen provenances of white spruce from Canada, tested in Maryland ... 82

HOPKINS, THOMAS L. Mysid shrimp abundance in surface waters of Indian River Inlet, Delaware ... 86

CROKER, ROBERT A. Planktonic fish eggs and larvae of Sandy Hook Estuary ... 92

RICHARDS, C. E. Availability patterns of marine fishes caught by charter boats operating off Virginia's eastern shore, 1955–1962 ... 96

WILBER, CHARLES G. AND RICHARD D. GILCHRIST. Organ weight:body weight ratios in the Mongolian gerbil, *Meriones unguiculatus* ... 109

Notes and Comments

HILLMAN, ROBERT E. Chromatographic studies of allopatric populations of the eastern oyster, *Crassostrea virginica* ... 115

SCHWARTZ, FRANK J. Age, growth, and egg complement of the stickleback, *Apeltes quadracus,* at Solomons, Maryland ... 116

EISLER, RONALD. Erythrocyte counts and hemoglobin contents in nine species of marine teleosts ... 119

LOCKE, LOUIS N. Additional records of aspergillosis among passerine birds in Maryland and the Washington, D. C. metropolitan area ... 120

FOEHRENBACH, JACK. A letter to the editor ... 122

Book Review

Internal Factors in Evolution (by Lancelot Law Whyte). Reviewed by Robert E. Hillman 123

NUMBER 3, SEPTEMBER 1965

STROSS, RAYMOND G. AND JOHN R. STOTTLEMYER. Primary production in the Patuxent River 125
RITCHIE, DOUGLAS E. Sex determination of live striped bass, *Roccus saxatilis* (Walbaum), by biopsy technique 141
HANKS, ROBERT W. Effect of metallic aluminum particles on oysters and clams 146
RAWLS, CHARLES K. Field tests of herbicide toxicity to certain estuarine animals 150
CHANLEY, PAUL E. Larval development of a boring clam, *Barnea truncata* 162
PARADISO, JOHN L. AND CHARLES O. HANDLEY, JR. Checklist of Mammals of Assateague Island 167
PORE, N. ARTHUR. Chesapeake Bay extratropical storm surges 172
VAN ENGEL, W. A. AND ENG-CHOW TAN. Investigations of inner continental shelf waters off lower Chesapeake Bay. Part VI. The Copepods 183
MCCAIN, JOHN C., SR. The Caprellidae (Crustacea: Amphipoda) of Virginia 190

Notes and Comments

BONNER RUPERT R., JR. Observations on tag loss and comparative mortality in striped bass 197

Book Review

The American oyster, Crassostrea virginica Gmelin (by Paul S. Galtsoff). Reviewed by Robert E. Hillman 199

NUMBER 4, DECEMBER 1965

DAVIS, CHARLES C. A study of the hatching process in aquatic invertebrates: XX. The blue crab, *Callinectes sapidus*, Rathbun, XXI. The nemertean, *Carcinonemertes carcinophila* (Kölliker) 201
CHANLEY, PAUL. Larval development of the brackish water mactrid clam, *Rangia cuneata* 209
WARD, RONALD W., VALERIE VREELAND, CHARLES H. SOUTHWICK, AND ANTHONY J. READING. Ecological studies related to plankton productivity in two Chesapeake Bay estuaries 214

Notes and Comments

SCHWARTZ, F. J. AND R. JACHOWSKI. The age, growth, and length-weight relationship of the Patuxent River, Maryland Ictalurid white catfish *Ictalurus catus* 226
COOKE, PETER HAYMAN AND CHARLES W. CHRISTOPHER. Variations of the head scale pattern of the striped killifish, *Fundulus majalis* 229

HEINLE, DONALD R. A screen for excluding jellyfish and ctenophores from Clarke-Bumpus plankton samples 231
TAYLOR, JOHN L. Bottom samplers for estuarine research 233
MEANLEY, BROOKE. Early-fall food and habitat of the sora in the Patuxent River Marsh, Maryland 235

Index to Volume 6 239